National Axial Spondyloarthritis Society

172 King Street, Hammersmith, London W6 0QU Tel 020 8741 1515 / admin@nass.co.uk



Freedom of Information Request Secondary Care Referrals

Hywel Dda University Health Board			
Part 1 – Internal Referral Pathways and screening tools			
2.	Does your trust have an internal referral pathway to rheumatology from:		
	a) Dermatology		
	⊠ Yes		
	□ No		
	□ Not sure / don't know		
	b) Gastroenterology		
	⊠ Yes		
	□ No		
	□ Not sure / don't know		
	c) Ophthalmology		
	⊠ Yes		
	□ No		
	□ Not sure / don't know		

3. Please give details of any standard internal pathways in place. Please attach any documents to support this.
Gastroenterology: Current referral pathway is to write a referral letter to Rheumatology.
<u>Dermatology:</u> Consultant to Consultant/Consultant to Clinical Nurse Specialist/Clinical Nurse Specialist to Consultant.
Ophthalmology: Communication between Consultants.
4. What referral protocols are in place? e.g. are patients referred back to the GP with consideration / instruction to refer onward for rheumatology opinion.
Gastroenterology: If a patient is identified by the Gastroenterology team as needing a Rheumatology referral, a letter is sent from clinic directly to the Rheumatology Team and a copy is sent to the GP for information.
<u>Dermatology:</u> GP will refer into Secondary Care. The Consultant will triage and where appropriate will provide advice to the GP or accept the referral onto the waiting lists.
Ophthalmology: Letter to consultant with copy sent to GP. There is no system in place to track.
 Does your trust utilise any screening tools such as Dublin Uveitis Evaluation Tool (DUET) or Psoriasis Epidemiology Screening Tool (PEST):
□ No
□ Not sure / don't know
 □ Not sure / don't know 6. Please give details of any screening tools in place. Please attach any documents
 Not sure / don't know 6. Please give details of any screening tools in place. Please attach any documents to support this.
 Not sure / don't know 6. Please give details of any screening tools in place. Please attach any documents to support this. PASI – Psoriasis area and severity index

Part 2 – Internal referral volumes

7.	Are you able to track internal referral volumes on your systems?
\boxtimes	Yes
	No
	Not sure / don't know
8.	How often do you receive referrals for suspected axial SpA in rheumatology from:
	a) Dermatology
	□ Weekly
	☐ Monthly
	☐ Quarterly
	□ Less often
	□ Never
	b) Gastroenterology
	□ Weekly
	□ Monthly
	□ Quarterly
	□ Less often
	□ Never
	c) Ophthalmology
	□ Weekly
	□ Monthly
	□ Quarterly
	□ Less often
	⊠ Never